


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 6 of 6 for multi application contact list. (0.08 seconds)Did you mean: multi **application** contact listCarriage for ink-jet hard copy apparatus - all 4 versions »

K Balakrishnan, KR Williams - US Patent 6,916,084, 2005 - Google Patents

... This **application** is a continuation of US application Ser. ... developer process photograph, or multi-printhead, staggered ... Similarly, the pen **contact** side of the pen ...[Related Articles](#) - [Web Search](#) - [Import into EndNote](#)Policies for secure software execution

JJ Lambert, P Gärg, JA Lawson - 2002 - freepatentsonline.com

... the algorithm walks down the list of identifiers ... process that did not have the **application** program's restricted ... be accomplished by having a multi-part rule ...[Cached](#) - [Web Search](#) - [Import into EndNote](#)Method of forming particles using a supercritical fluid - all 2 versions »

SF Rouanet, WE McGovern, W Cao, JM Moses, AL ... - US Patent 5,864,923, 1999 - Google Patents

... "Application of Supercritical Fluids for the Production of Sustained Delivery ... should be allowed to form during **contact** of the ... from a multi-species solution ...[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#)Method of treating diseases associated with abnormal gastrointestinal flora

SM Finegold - 2004 - freepatentsonline.com

... in-Part (CIP) of US patent **application** Ser. ... generated against conserved regions of multiple bacteria, since ... such as avoidance of eye **contact**, self-stimulation ...[Cached](#) - [Web Search](#) - [Import into EndNote](#)Control unit for a microscope - all 2 versions »

H Studer, H Zimmermann, P Graefenhain - 2005 - freepatentsonline.com

... made by Leica Microsystems (Schweiz) AG, assignee of the present **application**, is equipped ... It is also possible to design it as a multiple bus system ... **Contact Us** ...[Cached](#) - [Web Search](#) - [Import into EndNote](#)Department OF Computer Science The University OF Queensland - all 7 versions »

W Sadiq, ME Orlowska - it.uq.oz.au

... eg, synchronization on two mutually exclusive alternative paths; • livelocks, eg, iteration with no exit path; • unintentional multiple execution, eg ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into EndNote](#)Did you mean to search for: multi **application** contact list

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar All articles - [Recent articles](#)

 Results 1 - 10 of about 290,000 for [multi application contact list](#). (0.37 seconds)

All Results
[L Foner](#)
[A Dey](#)
[L Samovar](#)
[N Harrick](#)
[D Sleator](#)
[Yenta: A Multi-Agent, Referral-Based Matchmaking System - all 7 versions »](#)

LN Foner - Proceedings of the first international conference on ..., 1997 - hig.se

... agent systems are hard to build While decentralized, multi-agent systems ... There are many applications; this is a short summary ... A pending-contact list, PC, which ...

 Cited by 191 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into EndNote](#)
[Task computing-the semantic web meets pervasive computing - all 11 versions »](#)

R Masuoka, B Parsia, Y Labrou - Proceedings of 2nd International Semantic Web Conference (..., 2003 - Springer

... assembling a TCE we faced multiple challenges: • We ... Here we describe task computing application scenarios in ... his PDA and "Add into Contact List" on Alice ...

 Cited by 53 - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#) - [BL Direct](#)
[... flexible substitution patterns in multi-dimensional choice modeling: formulation and application to ... - all 2 versions »](#)

CR Bhat - Transportation Research Part B: Methodological, 1998 - ingentaconnect.com

... Accommodating flexible substitution patterns in multi-dimensional choice modeling: formulation and application to travel mode and departure time choice. ...

 Cited by 60 - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#) - [Library Search](#) - [BL Direct](#)
[Communication Between Cultures - all 2 versions »](#)

LA Samovar, RE Porter - Belmont, CA, 1995 - semesteratsea.com

... Session 1: Introduction to creative multi-cultural communications ... Discussion of Applications. ... FIELD COMPONENT: Twenty percent of the contact hours for each ...

 Cited by 434 - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#) - [Library Search](#)
[A Multi-Agent Referral System for Matchmaking - all 4 versions »](#)

L Foner - ... on the Practical Application of Intelligent Agents and Multi ..., 1996 - foner.www.media.mit.edu

... agent systems are hard to build While decentralized, multi-agent systems ... There are many applications; this is a short summary ... A pending-contact list, PC, which ...

 Cited by 52 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into EndNote](#)
[Rigid Body Collisions of Planar Kinematic Chains With Multiple Contact Points - all 3 versions »](#)

Y Hurmuzlu, DB Marghitu - The International Journal of Robotics Research, 1994 - ijr.sagepub.com

... Chains With Multiple ... example of a planar three-link chain with two contact points is ... placed on the energy loss that results from the application of each ...

 Cited by 62 - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#) - [BL Direct](#)
[... for the Self-organisation of Distributed, Multi-user Networks. Possible application for the future ... - all 7 versions »](#)

J Bollen, F Heylighen - Cybernetics and Systems' 96, 1996 - pespmc1.vub.ac.be

... for the self-organisation of distributed, multi-user networks ... from our MachHTTP server application, which communicated ... people were invited to contact our server ...

 Cited by 52 - [Related Articles](#) - [Cached](#) - [Web Search](#) - [Import into EndNote](#) - [BL Direct](#)
[A conceptual framework and a toolkit for supporting the rapid prototyping of context-aware ... - all 5 versions »](#)

AK Dey, GD Abowd, D Salber - Human-Computer Interaction, 2001 - Lawrence Erlbaum

... Further- more, multiple applications may need to access the same piece of ... components must be running perpetually to allow applications to contact them when ...

 Cited by 781 - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#) - [BL Direct](#)
[Multi-agent matchmaking - all 3 versions »](#)

L Foner, IB Crabtree - BT Technology Journal, 1996 - btexact.com

... There are many applications — this is a short summary. ... MULTI-AGENT MATCHMAKING ... with whom this agent has communicated, • a pending-contact list (PC) which ...

 Cited by 26 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into EndNote](#) - [BL Direct](#)
[ConNexus to awarenex: extending awareness to mobile users](#)

JC Tang, N Yankelovich, J Begole, F Li, J Bhalodia - Proceedings of the SIGCHI conference on Human factors in ..., 2001 - portal.acm.org

... to initiate contact • Integrate multiple communication tools ... including IM, e-mail, application sharing, and ... Contact List The Contact List provides awareness ...

 Cited by 148 - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#) - [BL Direct](#)

Gooooooooooooo g l e ►

 Result Page: **12345678910** **[Next](#)**

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar All articles - [Recent articles](#)
Results 1 - 10 of about 15,400 for [instant message email contact list](#). (0.15 seconds)
All Results
[B Nardi](#)
[S Whittaker](#)
[E Bradner](#)
[L Foner](#)
[E Isaacs](#)
[Interaction and outeraction: instant messaging in action - all 23 versions »](#)

BA Nardi, S Whittaker, E Bradner - Proceedings of the 2000 ACM conference on Computer supported ..., 2000 - portal.acm.org

... I use IM] rather than waiting for an email or try to contact them by ... common for workers

developing Web pages to send each other instant messages to inquire ...

[Cited by 440](#) - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#)
[IM here: public instant messaging on large, shared displays for workgroup interactions - all 9 versions »](#)

EM Huang, DM Russell, AE Sue - Proceedings of the 2004 conference on Human factors in ..., 2004 - portal.acm.org

... Because email is perceived as quicker and easier than ... It is interoperable with the

Sametime instant messenger client ... of the kiosk to send a message to everyone ...

[Cited by 29](#) - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#)
[handiMessenger: Awareness-Enhanced Universal Communication for Mobile Users - all 6 versions »](#)

S Hibino, A Mockus - Human Computer Interaction Consortium 2002 Winter Workshop, 2002 - Springer

... Thus, when users open an instant messaging session with an iMobile agent, they can

send messages that request ... Email can also be accessed in a command-line ...

[Cited by 14](#) - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#) - [BL Direct](#)
[\[book\] Extracting Social Networks and Contact Information From Email and the Web - all 5 versions »](#)

A Culotta, R Bekkerman, A McCallum, MASSACHUSETTS ... - 2005 - cs.umass.edu

... Then, we train another CRF for contact information extraction using ... each person,

we first build a list of all ... We apply our system to the email messages of two ...

[Cited by 36](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into EndNote](#) - [Library Search](#)
[Integrating communication and information through ContactMap](#)

BA Nardi, S Whittaker, E Isaacs, M Creech, J ... - Communications of the ACM, 2002 - portal.acm.org

... then allow users to quickly initiate instant messages through the ... list of contacts

from selected email folders, arranging ... the user replies to messages from the ...

[Cited by 76](#) - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#) - [BL Direct](#)
[Towards junking the PBX: deploying IP telephony - all 14 versions »](#)

W Jiang, J Lennox, H Schulzrinne, K Singh - Proceedings of the 11th international workshop on Network ..., 2001 - portal.acm.org

... next checks the sys-tem's email aliases file. ... SIP server then retrieves user, contact,

and policy ... requests, or something different like an instant message. ...

[Cited by 28](#) - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#)
[On instant messaging worms, analysis and countermeasures - all 10 versions »](#)

M Mannan, PC van Oorschot - Proceedings of the 2005 ACM workshop on Rapid malwarecode, 2005 - portal.acm.org

... an IM worm gets a largely accurate instant hit-list from ... traffic on many Internet

protocols (eg TCP/IP, email). ... of contacts while IM worms send messages to all ...

[Cited by 12](#) - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#)
[Secure public Instant Messaging: A survey - all 6 versions »](#)

M Mannan, PC van Oorschot - Proceedings of the 2nd Annual Conference on Privacy, Security ..., dev.hil.unb.ca

... away, busy etc.); sending and receiving instant messages to online ... one-to-one,

multi-user); email; sending and ... types of users (eg contact list, everyone); and ...

[Cited by 6](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into EndNote](#)
[Managing one's social network: Does age make a difference - all 8 versions »](#)

H Smith, Y Rogers, M Brady - Proceedings of INTERACT, 2003 - idemployee.id.tue.nl

... commented that sometimes it was easier to re-contact the person who had ... This was

most notable with email, but also occurred with SMS and instant messages. ...

[Cited by 12](#) - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#)
[Contact management: identifying contacts to support long-term communication - all 8 versions »](#)

S Whittaker, Q Jones, L Terveen - Proceedings of the 2002 ACM conference on Computer supported ..., 2002 - portal.acm.org

... fax number, email address, postal address, instant messaging alias ... contact name

(eg Jane Smith), email name (eg ... yahoo.com), the number of messages received by ...

[Cited by 19](#) - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#)

Gooooooooooooo gle ►

 Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

shared contact list

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar All articles - [Recent articles](#)Results 1 - 10 of about 412,000 for [shared contact list](#). (0.22 seconds)

All Results

[L Foner](#)[J Tang](#)[D Crystal](#)[B Hille](#)[J DYER](#)

[IM here: public instant messaging on large, shared displays for workgroup interactions - all 9 versions »](#)

EM Huang, DM Russell, AE Sue - Proceedings of the 2004 conference on Human factors in ..., 2004 - portal.acm.org

... The **contact list** provides awareness to the group but also informs personal IM interactions. ... takes place in the space, we wanted to encourage it as a **shared tool** ...

[Cited by 29](#) - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#)

[A working list of breeding bird species of the New Zealand region at first human contact - all 7 versions »](#)

RN Holdaway, TH Worthy, AJD Tennyson - New Zealand Journal of Zoology, 2001 - rsnz.org

... Regions were grouped according to **shared taxa**, and taxa ... Distributions given in the **list**, are for breeding populations at the time of human **contact**. ...

[Cited by 52](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into EndNote](#) - [BL Direct](#)

[Yenta: A Multi-Agent, Referral-Based Matchmaking System - all 7 versions »](#)

LN Foner - Proceedings of the first international conference on ..., 1997 - hig.se

... If two users both have several documents which are similar to each other, then the users are assumed to **share** an interest ... A pending-**contact list**, PC, which ...

[Cited by 191](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into EndNote](#)

[Task computing-the semantic web meets pervasive computing - all 11 versions »](#)

R Masuoka, B Parsia, Y Labrou - Proceedings of 2nd International Semantic Web Conference (..., 2003 - Springer

... executes the composition of "Add into **Contact List**" and "**Contact Provider**" to insert your **contact** into his PIM. In the same way, you can **share** with her ...

[Cited by 53](#) - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#) - [BL Direct](#)

[ConNexus to awareness: extending awareness to mobile users](#)

JC Tang, N Yankelovich, J Begole, F Li, J Bhalodia - Proceedings of the SIGCHI conference on Human factors in ..., 2001 - portal.acm.org

... a "Back" operator to navigate back to the **list**. ... chat, so that they have a **shared** user experience. ... anyone, anywhere, to facilitate making **contact** among each ...

[Cited by 148](#) - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#) - [BL Direct](#)

[Nurse led shared care for patients on the waiting list for coronary artery bypass surgery: a ... - all 6 versions »](#)

F McHugh, GM Lindsay, P Hanlon, I Hutton, MR Brown ... - Heart, 2001 - Br Cardiac Soc

... willing to participate in the **shared** care intervention. ... admissions while on the waiting **list** were recorded ... Patients were also given the **contact** telephone number ...

[Cited by 28](#) - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#) - [BL Direct](#)

[Trust breaks down in electronic contexts but can be repaired by some initial face-to-face contact - all 5 versions »](#)

E Rocco - Proceedings of the SIGCHI conference on Human factors in ..., 1998 - portal.acm.org

... cannot rely on past experiences **shared** with the ... introduced before individuals use the electronic mailing **list**. ... when team members have an initial FIF **contact**. ...

[Cited by 118](#) - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#) - [BL Direct](#)

[Strategic Alliances Work - all 2 versions »](#)

J DYER, P KALE, H SINGH - strategic-alliances.org

... alliance managers to get together and informally **share** their alliance ... template

•Trust-building work sheet •Alliance-**contact list** •Alliance- communication ...

[Cited by 130](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into EndNote](#) - [BL Direct](#)

[When Conventions Collide: The Tensions of Instant Messaging Attributed - all 9 versions »](#)

A Vaida, WC Newstetter, ED Mynatt - portal.acm.org

... with the receiver, and (2) between serendipitously and explicitly **shared** context

[Figure 5 ... s blob UI [16] explored visualizations of the **contact list**, such as ...

[Cited by 58](#) - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#) - [BL Direct](#)

[Social net: using patterns of physical proximity over time to infer shared interests - all 6 versions »](#)

M Terry, ED Mynatt, K Ryall, D Leigh - Conference on Human Factors in Computing Systems, 2002 - portal.acm.org

... it is conceivable to leverage existing **contact lists** in ... IDs received are on the

user's friend **list**. ... Social Net's method of inferring **shared** interests does ...

[Cited by 45](#) - [Related Articles](#) - [Web Search](#) - [Import into EndNote](#) - [BL Direct](#)

Google

Result Page:

12345678910

[Next](#)

shared contact list

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google